

# Package ‘chevreulShiny’

April 2, 2026

**Type** Package

**Title** Tools for managing SingleCellExperiment objects as projects

**Version** 1.2.0

**Description** Tools for managing SingleCellExperiment objects as projects.

Includes functions for analysis and visualization of single-cell data.

Also included is a shiny app for visualization of pre-processed scRNA data.

Supported by NIH grants R01CA137124 and R01EY026661 to David Cobrinik.

**License** MIT + file LICENSE

**URL** <https://github.com/whtns/chevreulShiny>,

<https://whtns.github.io/chevreulShiny/>

**Date** 2024-03-24

**BugReports** <https://github.com/cobriniklab/chevreulShiny/issues>

**Depends** R (>= 4.5.0), SingleCellExperiment, shiny (>= 1.6.0),  
shinydashboard, chevreulProcess, chevreulPlot

**Imports** alabaster.base, clustree, ComplexHeatmap, DataEditR (>= 0.0.9), DBI, dplyr, DT, EnhancedVolcano, fs, future, ggplot2, ggplotify, grDevices, methods, patchwork, plotly, purrr, rappdirs, readr, RSQLite, S4Vectors, scales, shinyFiles, shinyhelper, shinyjs, shinyWidgets, stats, stringr, tibble, tidyr, tidyselect, utils, waiter, wiggleplotr

**Suggests** BiocStyle, knitr, RefManageR, rmarkdown, testthat (>= 3.0.0),  
EnsDb.Mmusculus.v79, EnsDb.Hsapiens.v86

**VignetteBuilder** knitr

**Encoding** UTF-8

**LazyData** false

**Roxygen** list(markdown = TRUE)

**RoxygenNote** 7.3.1

**biocViews** Coverage, RNASeq, Sequencing, Visualization, GeneExpression,  
Transcription, SingleCell, Transcriptomics, Normalization,  
Preprocessing, QualityControl, DimensionReduction, DataImport

**Config/testthat/edition** 3

**git\_url** <https://git.bioconductor.org/packages/chevreulShiny>

**git\_branch** RELEASE\_3\_22

**git\_last\_commit** 12398b0

**git\_last\_commit\_date** 2025-10-29

**Repository** Bioconductor 3.22

**Date/Publication** 2026-04-02

**Author** Kevin Stachelek [aut, cre] (ORCID:  
 <<https://orcid.org/0000-0003-2085-695X>>),  
 Bhavana Bhat [aut]

**Maintainer** Kevin Stachelek <[kevin.stachelek@gmail.com](mailto:kevin.stachelek@gmail.com)>

## Contents

chevreulShiny-package . . . . .	3
append_to_project_db . . . . .	3
cc.genes.cyclone . . . . .	4
chevreulApp . . . . .	4
create_project_db . . . . .	5
create_proj_matrix . . . . .	5
ensembl_version . . . . .	6
get_transcripts_from_sce . . . . .	6
grch38 . . . . .	7
grch38_tx2gene . . . . .	8
human_to_mouse_homologs . . . . .	8
list_plot_types . . . . .	9
load_alabaster_from_proj . . . . .	9
load_alabaster_path . . . . .	10
load_bigwigs . . . . .	10
make_bigwig_db . . . . .	11
make_chevreul_clean_names . . . . .	11
metadata_from_batch . . . . .	12
minimalChevreulApp . . . . .	12
plotly_settings . . . . .	13
plot_gene_coverage_by_var . . . . .	13
read_project_db . . . . .	15
save_sce . . . . .	15
small_example_dataset . . . . .	16
subset_by_colData . . . . .	16
tiny_sce . . . . .	17
unite_metadata . . . . .	17
update_project_db . . . . .	18

<b>Index</b>	<b>19</b>
--------------	-----------

---

chevreulShiny-package *chevreulShiny: Tools for managing SingleCellExperiment objects as projects*

---

## Description

Tools for managing SingleCellExperiment objects as projects. Includes functions for analysis and visualization of single-cell data. Also included is a shiny app for visualization of pre-processed scRNA data. Supported by NIH grants R01CA137124 and R01EY026661 to David Cobrinik.

## Author(s)

**Maintainer:** Kevin Stachelek <kevin.stachelek@gmail.com> ([ORCID](#))

Authors:

- Bhavana Bhat <bhavanabhat29@gmail.com>

## See Also

Useful links:

- <https://github.com/whtns/chevreulShiny>
- <https://whtns.github.io/chevreulShiny/>
- Report bugs at <https://github.com/cobriniklab/chevreulShiny/issues>

---

append\_to\_project\_db *Update a database of chevreulShiny projects*

---

## Description

Append projects to database

## Usage

```
append_to_project_db(  
  new_project_path,  
  cache_location = "~/cache/chevreul",  
  sqlite_db = "single-cell-projects.db",  
  verbose = TRUE  
)
```

## Arguments

new_project_path	new project path
cache_location	Path to cache "~/cache/chevreul"
sqlite_db	sqlite db
verbose	print messages

**Value**

a sqlite database with SingleCellExperiment objects

---

cc.genes.cyclone	<i>Cyclone cell cycle pairs by symbol</i>
------------------	---

---

**Description**

cell cycle genes with paired expression represented by HGNC symbol

**Usage**

```
cc.genes.cyclone
```

**Format**

a list of dataframes with G1, G2, and S gene expression

**G1** G1 gene symbols

**G2** G2 gene symbols

**S** S gene symbols ...

**Source**

cyclone

---

chevreulApp	<i>Create a shiny app for a project on disk</i>
-------------	---

---

**Description**

Create a shiny app for a project on disk

**Usage**

```
chevreulApp(
  preset_project,
  appTitle = "chevreul",
  organism_type = "human",
  futureMb = 13000,
  db_name = "single-cell-projects.db"
)
```

**Arguments**

preset_project	A preloaded project to start the app with
appTitle	A title of the App
organism_type	human or mouse
futureMb	amount of Mb allocated to future package
db_name	sqlite database with list of saved SingleCellExperiment objects

**Value**

a shiny app

---

create\_project\_db      *Create a database of chevreurShiny projects*

---

**Description**

Create a database containing chevreurShiny projects

**Usage**

```
create_project_db(  
  cache_location = "~/cache/chevreul",  
  sqlite_db = "single-cell-projects.db",  
  verbose = TRUE  
)
```

**Arguments**

cache\_location    Path to cache "~/cache/chevreul"  
sqlite\_db         Database to be created  
verbose           print messages

**Value**

a sqlite database with SingleCellExperiment objects

---

create\_proj\_matrix      *Create a Table of single Cell Projects*

---

**Description**

Uses a list of projects to create a matrix of single cell projects

**Usage**

```
create_proj_matrix(proj_list)
```

**Arguments**

proj\_list         List of projects

**Value**

a tibble of single cell projects

ensembl\_version      *Ensembl version used for build*

---

**Description**

Ensembl version used for build

**Usage**

```
ensembl_version
```

**Format**

An object of class character of length 1.

**Source**

<http://www.ensembl.org/>

**Examples**

```
# ensembl_version
```

---

get\_transcripts\_from\_sce  
*Get Transcripts in object*

---

**Description**

Get transcript ids in objects for one or more gene of interest

**Usage**

```
get_transcripts_from_sce(object, gene)
```

**Arguments**

object	A SingleCellExperiment object
gene	Gene of interest

**Value**

transcripts constituting a gene of interest in a SingleCellExperiment object

---

grch38	<i>Human annotation data</i>
--------	------------------------------

---

### Description

Human (*Homo sapiens*) annotations based on genome assembly GRCH38 from Ensembl.

### Usage

```
grch38
```

### Format

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 76062 rows and 9 columns.

### Details

Variables:

- `ensgene`
- `entrez`
- `symbol`
- `chr`
- `start`
- `end`
- `strand`
- `biotype`
- `description`

### Source

[http://ensembl.org/homo\\_sapiens](http://ensembl.org/homo_sapiens)

### Examples

```
data("grch38")  
head(grch38)
```

---

`grch38_tx2gene`*Human transcripts to genes*

---

**Description**

Lookup table for converting Human (*Homo sapiens*) Ensembl transcript IDs to gene IDs based on genome assembly GRCH38 from Ensembl.

**Usage**`grch38_tx2gene`**Format**

An object of class `tbl_df` (inherits from `tbl`, `data.frame`) with 277081 rows and 2 columns.

**Details**

Variables:

- `enstxp`
- `ensgene`

**Source**

[http://ensembl.org/homo\\_sapiens](http://ensembl.org/homo_sapiens)

**Examples**

```
data(grch38_tx2gene)
head(grch38_tx2gene)
```

---

`human_to_mouse_homologs`*Gene Homologs Between Human and Mouse*

---

**Description**

Homologs drawn from Biomart

**Usage**`human_to_mouse_homologs`**Format**

A data frame with 23188 rows and 2 columns

**HGNC.symbol** human gene symbols

**MGI.symbol** mouse gene symbols ...

**Source**

bioMart

---

list_plot_types	<i>Collate list of variables to be plotted</i>
-----------------	--

---

**Description**

Collate list of variables to be plotted

**Usage**

list\_plot\_types(object)

**Arguments**

object            a SingleCellExperiment object

**Value**

plot\_types a list of category\_vars or continuous\_vars

**Examples**

```
data(small_example_dataset)
list_plot_types(small_example_dataset)
```

---

load_alabaster_from_proj	<i>Load SingleCellExperiment Files from a single project path</i>
--------------------------	---

---

**Description**

Load SingleCellExperiment Files from a single project path

**Usage**

load\_alabaster\_from\_proj(proj\_dir, ...)

**Arguments**

proj_dir	project directory
...	extra args passed to load_alabaster_path

**Value**

a SingleCellExperiment object

---

load\_alabaster\_path     *Read in Gene and Transcript SingleCellExperiment Objects*

---

**Description**

Read in Gene and Transcript SingleCellExperiment Objects

**Usage**

```
load_alabaster_path(proj_dir = getwd(), prefix = "unfiltered")
```

**Arguments**

proj_dir	path to project directory
prefix	default "unfiltered"

**Value**

a SingleCellExperiment object

---

load\_bigwigs     *Load Bigwigs*

---

**Description**

Load a tibble of bigwig file paths by cell id

**Usage**

```
load_bigwigs(object, bigwig_db = "~/cache/chevreul/bw-files.db")
```

**Arguments**

object	A object
bigwig_db	Sqlite database of bigwig files

**Value**

a vector of bigwigs file paths

---

make_bigwig_db	<i>Make Bigwig Database</i>
----------------	-----------------------------

---

**Description**

Make Bigwig Database

**Usage**

```
make_bigwig_db(  
  new_project = NULL,  
  cache_location = "~/cache/chevreul/",  
  sqlite_db = "bw-files.db"  
)
```

**Arguments**

new_project	Project directory
cache_location	Path to cache "~/cache/chevreul"
sqlite_db	sqlite db containing bw files

**Value**

a sqlite database of bigwig files for cells in a SingleCellExperiment object

---

make_chevreul_clean_names	<i>Clean Vector of chevreulShiny Names</i>
---------------------------	--

---

**Description**

Cleans names of objects provided in a vector form

**Usage**

```
make_chevreul_clean_names(myvec)
```

**Arguments**

myvec	A vector of object names
-------	--------------------------

**Value**

a clean vector of object names

**Examples**

```
data(small_example_dataset)  
make_chevreul_clean_names(colnames(  
  get_colData(small_example_dataset)))
```

---

metadata\_from\_batch     *Retrieve Metadata from Batch*

---

### Description

Retrieve Metadata from Batch

### Usage

```
metadata_from_batch(
  batch,
  projects_dir = "/dataVolume/storage/single_cell_projects",
  db_path = "single-cell-projects.db"
)
```

### Arguments

batch	batch
projects_dir	path to project dir
db_path	path to .db file

### Value

a tibble with cell level metadata from a SingleCellExperiment object

---

minimalChevreulApp     *Create a minimal chevreulShiny app using SingleCellExperiment input*

---

### Description

Create a minimal chevreulShiny app using SingleCellExperiment input

### Usage

```
minimalChevreulApp(
  single_cell_sce = NULL,
  appTitle = NULL,
  organism_type = "human",
  futureMb = 13000,
  db_name = "single-cell-projects.db"
)
```

### Arguments

single_cell_sce	a singlecell object
appTitle	a title for the app
organism_type	human or mouse
futureMb	the megabytes available for the future package
db_name	a database of bigwig files

**Value**

a minimal chevreulShiny app

**Examples**

```
if (interactive() ) {  
  data("tiny_sce")  
  minimalChevreulApp(tiny_sce)  
}
```

---

plotly_settings	<i>Plotly settings</i>
-----------------	------------------------

---

**Description**

Change settings of a plotly plot

**Usage**

```
plotly_settings(plotly_plot, width = 600, height = 700)
```

**Arguments**

plotly_plot	A plotly plot
width	Default set to '600'
height	Default set to '700'

**Value**

a plotly plot with settings changed

---

plot_gene_coverage_by_var	<i>Plot BigWig Coverage for Genes of Interest by a Given Variable</i>
---------------------------	---

---

**Description**

Plot BigWig coverage for genes of interest colored by a given variable

**Usage**

```

plot_gene_coverage_by_var(
  genes_of_interest = "NRL",
  cell_metadata,
  bigwig_tbl,
  group_by = "batch",
  values_of_interest = NULL,
  organism = c("human", "mouse"),
  edb = NULL,
  heights = c(3, 1),
  scale_y = "log10",
  reverse_x = FALSE,
  start = NULL,
  end = NULL,
  summarize_transcripts = FALSE,
  ...
)

```

**Arguments**

genes_of_interest	Gene of interest
cell_metadata	a dataframe with cell metadata from object
bigwig_tbl	a tibble with colnames "name", "bigWig", and "sample_id" matching the file-name, absolute path, and sample name of each cell in the cell_metadata
group_by	Variable to color by
values_of_interest	values of interest
organism	human (default) or mouse
edb	ensemldb object
heights	The heights of each row in the grid of plot
scale_y	whether to scale coverage
reverse_x	whether to reverse x axis
start	start coordinates
end	end coordinates
summarize_transcripts	whether to summarize transcript counts
...	extra arguments passed to plotCoverageFromEnsemblDb

**Value**

a ggplot with coverage faceted by group\_by

---

read_project_db	<i>Read a database of chevreulShiny projects</i>
-----------------	--

---

**Description**

Reads database of chevreulShiny projects to a data frame

**Usage**

```
read_project_db(
  cache_location = "~/cache/chevreul",
  sqlite_db = "single-cell-projects.db",
  verbose = TRUE
)
```

**Arguments**

cache_location	Path to cache "~/cache/chevreul"
sqlite_db	sqlite db
verbose	print messages

**Value**

a tibble with SingleCellExperiment objects

---

save_sce	<i>Save object to /output/sce/_sce.rds</i>
----------	--

---

**Description**

Save object to /output/sce/\_sce.rds

**Usage**

```
save_sce(object, prefix = "unfiltered", proj_dir = getwd())
```

**Arguments**

object	a SingleCellExperiment object
prefix	a prefix for saving
proj_dir	path to a project directory

**Value**

a path to an rds file containing a SingleCellExperiment object

---

small\_example\_dataset *Small example SingleCellExperiment*

---

**Description**

created with `scuttle::mockSCE`

**Usage**

```
small_example_dataset
```

**Format**

An SCE with 200 cells and 1000 genes

**Source**

`scuttle::mockSCE`

---

subset\_by\_colData *Subset by new colData*

---

**Description**

Subset the object using new `colData`

**Usage**

```
subset_by_colData(colData_path, object)
```

**Arguments**

`colData_path` Path to new `colData`

`object` A object

**Value**

a `SingleCellExperiment` object

---

tiny_sce	<i>Tiny example SingleCellExperiment</i>
----------	--

---

**Description**

subset to only NRL from `chevreuldata::human_gene_transcript_sce()`

**Usage**

```
tiny_sce
```

**Format**

An SCE with only expression of NRL gene and NRL transcripts

**Source**

```
chevreuldata::human_gene_transcript_sce()
```

---

unite_metadata	<i>Unite metadata</i>
----------------	-----------------------

---

**Description**

Unite metadata

**Usage**

```
unite_metadata(object, group_bys)
```

**Arguments**

object	A SingleCellExperiment object
group_bys	A feature or variable to combine

**Value**

a SingleCellExperiment object with Idents formed from concatenation of `group_bys`

**Examples**

```
data(small_example_dataset)
unite_metadata(small_example_dataset, "Mutation_Status")
```

---

update\_project\_db      *Update a database of chevreulShiny projects*

---

**Description**

Add new/update existing projects to the database by recursing fully

**Usage**

```
update_project_db(  
  projects_dir = NULL,  
  cache_location = "~/cache/chevreul",  
  sqlite_db = "single-cell-projects.db",  
  verbose = TRUE  
)
```

**Arguments**

projects_dir	The project directory to be updated
cache_location	Path to cache "~/cache/chevreul"
sqlite_db	sqlite db
verbose	print messages

**Value**

a sqlite database with SingleCellExperiment objects

# Index

## \* datasets

- cc.genes.cyclone, [4](#)
- ensembl\_version, [6](#)
- grch38, [7](#)
- grch38\_tx2gene, [8](#)
- human\_to\_mouse\_homologs, [8](#)
- small\_example\_dataset, [16](#)
- tiny\_sce, [17](#)

## \* internal

- chevreulShiny-package, [3](#)

append\_to\_project\_db, [3](#)

- cc.genes.cyclone, [4](#)
- chevreulApp, [4](#)
- chevreulShiny (chevreulShiny-package), [3](#)
- chevreulShiny-package, [3](#)
- create\_proj\_matrix, [5](#)
- create\_project\_db, [5](#)

ensembl\_version, [6](#)

- get\_transcripts\_from\_sce, [6](#)
- grch38, [7](#)
- grch38\_tx2gene, [8](#)

human\_to\_mouse\_homologs, [8](#)

- list\_plot\_types, [9](#)
- load\_alabaster\_from\_proj, [9](#)
- load\_alabaster\_path, [10](#)
- load\_bigwigs, [10](#)

- make\_bigwig\_db, [11](#)
- make\_chevreul\_clean\_names, [11](#)
- metadata\_from\_batch, [12](#)
- minimalChevreulApp, [12](#)

- plot\_gene\_coverage\_by\_var, [13](#)
- plotly\_settings, [13](#)

read\_project\_db, [15](#)

- save\_sce, [15](#)
- small\_example\_dataset, [16](#)

subset\_by\_colData, [16](#)

tiny\_sce, [17](#)

- unite\_metadata, [17](#)
- update\_project\_db, [18](#)