

Package ‘TabulaMurisData’

April 7, 2026

Type Package

Title 10x And SmartSeq2 Data From The Tabula Muris Consortium

Version 1.28.0

Description Access to processed 10x (droplet) and SmartSeq2
(on FACS-sorted cells) single-cell RNA-seq data from the Tabula Muris
consortium (<http://tabula-muris.ds.czbiohub.org/>).

License MIT + file LICENSE

Encoding UTF-8

LazyData true

biocViews SingleCellData, ExperimentData, RNASeqData

Depends R (>= 3.5)

Imports ExperimentHub, utils

Suggests knitr, rmarkdown, BiocStyle, SingleCellExperiment, scran,
scater, iSEE, testthat

VignetteBuilder knitr

RoxygenNote 6.1.0

git_url <https://git.bioconductor.org/packages/TabulaMurisData>

git_branch RELEASE_3_22

git_last_commit 0fbb88d

git_last_commit_date 2025-10-29

Repository Bioconductor 3.22

Date/Publication 2026-04-07

Author Charlotte Soneson [aut, cre] (ORCID:
<<https://orcid.org/0000-0003-3833-2169>>)

Maintainer Charlotte Soneson <charlottesoneson@gmail.com>

Contents

| | |
|--------------------------------|----------|
| TabulaMurisData | 2 |
| TabulaMurisDroplet | 2 |
| TabulaMurisSmartSeq2 | 3 |
| Index | 4 |

| | |
|-----------------|------------------------|
| TabulaMurisData | <i>TabulaMurisData</i> |
|-----------------|------------------------|

Description

This ExperimentHub package provides access to the 10x (droplet) and SmartSeq2 (on FACS-sorted cells) single-cell RNA-seq data from the Tabula Muris Consortium (<http://tabula-muris.ds.czbiohub.org/>)

Author(s)

Charlotte Soneson

References

The Tabula Muris Consortium: Single-cell transcriptomics of 20 mouse organs creates a *Tabula Muris*. Nature doi:10.1038/s41586-018-0590-4 (2018).

| | |
|--------------------|------------------------------|
| TabulaMurisDroplet | <i>Tabula Muris 10x data</i> |
|--------------------|------------------------------|

Description

UMI counts from the 10x (droplet) single-cell RNA-seq data collected by the Tabula Muris Consortium. The object contains counts for 23,341 genes in 70,118 cells.

Usage

```
TabulaMurisDroplet(metadata = FALSE)
```

Arguments

| | |
|----------|---|
| metadata | Logical, whether only metadata should be returned |
|----------|---|

Format

SingleCellExperiment

Value

Returns a SingleCellExperiment object.

Author(s)

Charlotte Soneson

References

The Tabula Muris Consortium: Single-cell transcriptomics of 20 mouse organs creates a *Tabula Muris*. Nature doi:10.1038/s41586-018-0590-4 (2018).

Examples

```
TabulaMurisDroplet(metadata = FALSE)
```

TabulaMurisSmartSeq2 *Tabula Muris SmartSeq2 data*

Description

Read counts from the SmartSeq2 (on FACS-sorted cells) single-cell RNA-seq data collected by the Tabula Muris Consortium. The object contains counts for 23,433 features (23,341 genes and 92 ERCC spike-ins) in 53,760 cells.

Usage

```
TabulaMurisSmartSeq2(metadata = FALSE)
```

Arguments

metadata Logical, whether only metadata should be returned

Format

SingleCellExperiment

Value

Returns a SingleCellExperiment object.

Author(s)

Charlotte Soneson

References

The Tabula Muris Consortium: Single-cell transcriptomics of 20 mouse organs creates a *Tabula Muris*. Nature doi:10.1038/s41586-018-0590-4 (2018).

Examples

```
TabulaMurisSmartSeq2(metadata = FALSE)
```

Index

* datasets

TabulaMurisDroplet, [2](#)

TabulaMurisSmartSeq2, [3](#)

TabulaMurisData, [2](#)

TabulaMurisDroplet, [2](#)

TabulaMurisSmartSeq2, [3](#)