

Package ‘scider’

April 7, 2026

Type Package

Title Spatial cell-type inter-correlation by density in R

Version 1.9.0

Description scider is an user-friendly R package providing functions to model the global density of cells in a slide of spatial transcriptomics data. All functions in the package are built based on the SpatialExperiment object, allowing integration into various spatial transcriptomics-related packages from Bioconductor. After modelling density, the package allows for several downstream analysis, including colocalization analysis, boundary detection analysis and differential density analysis.

biocViews Spatial, Transcriptomics

License GPL-3 + file LICENSE

URL <https://github.com/ChenLaboratory/scider>,
<https://chenlaboratory.github.io/scider/>

BugReports <https://github.com/ChenLaboratory/scider/issues>

Encoding UTF-8

LazyData false

Roxygen list(markdown = TRUE)

RoxygenNote 7.3.2

Imports SpatialExperiment, SummarizedExperiment, spatstat.geom, spatstat.explore, sf, lwgeom, SpatialPack, ggplot2, stats, pheatmap, plotly, shiny, igraph, janitor, knitr, methods, utils, isoband, S4Vectors, grDevices, dbscan, hexDensity, hexbin, uwot, SingleCellExperiment, BiocNeighbors, irlba

Suggests edgeR, testthat (>= 3.0.0)

Config/testthat/edition 3

Depends R (>= 4.3)

VignetteBuilder knitr

git_url <https://git.bioconductor.org/packages/scider>

git_branch devel

git_last_commit e0a2a6b

git_last_commit_date 2025-10-29

Repository Bioconductor 3.23

Date/Publication 2026-04-06

Author Mengbo Li [aut] (ORCID: <<https://orcid.org/0000-0002-9666-5810>>),

Ning Liu [aut] (ORCID: <<https://orcid.org/0000-0002-9487-9305>>),

Quoc Hoang Nguyen [aut] (ORCID:

<<https://orcid.org/0009-0007-2828-7567>>),

Yunshun Chen [aut, cre] (ORCID:

<<https://orcid.org/0000-0003-4911-5653>>)

Maintainer Yunshun Chen <yuchen@wehi.edu.au>

Contents

scider-package	3
allocateCells	4
cellsInRegion	5
computeDensity	5
computeDensityHex	6
contour2sf	7
coord_hash	8
corDensity	8
findNbrsGrid	9
findNbrsSNN	10
findNbrsSpatial	12
findROI	13
getClusters	14
getContour	15
getContourRegions	16
getNiche	17
globalMoran	18
grid2df	19
grid2sf	20
gridDensity	20
gridSPE	22
localMoran	23
mergeROI	24
normalizeAssay	25
plotCellCompo	26
plotContour	27
plotContourRegion	28
plotCorHeatmap	29
plotDensCor	30
plotDensity	31
plotDR	32

plotGrid	33
plotImage	35
plotLISA	35
plotROI	36
plotSpatial	38
postSelRegion	39
realignVisium	40
realignVisiumHD	40
runPCA	41
runUMAP	42
selectRegion	43
spe2PB	44
update_bound	45
xenium_bc_spe	45
[,SpatialExperiment,ANY,ANY,ANY-method	46

Index	47
--------------	-----------

scider-package	<i>scider: Spatial cell-type inter-correlation by density in R</i>
----------------	--------------------------------------------------------------------

Description

scider is an user-friendly R package providing functions to model the global density of cells in a slide of spatial transcriptomics data. All functions in the package are built based on the SpatialExperiment object, allowing integration into various spatial transcriptomics-related packages from Bioconductor. After modelling density, the package allows for serveral downstream analysis, including colocalization analysis, boundary detection analysis and differential density analysis.

scider implements functions to analyse spatial transcriptomics data with cell type annotations by performing cell type correlation via density estimation and cell type co-localization via real number distance. Functions include density estimation, statistical modelling and visualizations.

Details

scider uses SpatialExperiment objects as the main infrastructure, which can easily be integrated with a wide variety of Bioconductor packages.

Author(s)

Maintainer: Yunshun Chen <yuchen@wehi.edu.au> ([ORCID](#))

Authors:

- Mengbo Li <li.me@wehi.edu.au> ([ORCID](#))
- Ning Liu <liu.n@wehi.edu.au> ([ORCID](#))
- Quoc Hoang Nguyen <nguyen.q@wehi.edu.au> ([ORCID](#))

Ning Liu <liu.n@wehi.edu.au>, Mengbo Li <li.me@wehi.edu.au>, Yunshun Chen <yuchen@wehi.edu.au>, Quoc Hoang Nguyen <nguyen.q@wehi.edu.au>

See Also

Useful links:

- <https://github.com/ChenLaboratory/scider>
- <https://chenlaboratory.github.io/scider/>
- Report bugs at <https://github.com/ChenLaboratory/scider/issues>

allocateCells

Annotate all cells with contour level of cell type-specific density.

Description

Annotate all cells with contour level of cell type-specific density.

Usage

```
allocateCells(
  spe,
  to.roi = TRUE,
  roi = NULL,
  to.contour = TRUE,
  contour = NULL
)
```

Arguments

spe	A SpatialExperiment object.
to.roi	Logical. Whether to allocate cells to ROIs.
roi	Character. The name of the group or cell type on which the roi is computed. If NULL, then the cell allocation will be performed for all detected roi Default to NULL.
to.contour	Logical. Whether to allocate cells to contour levels.
contour	Character. The name of the group or cell type on which the contour level is computed. If NULL, then the cell allocation will be performed for all detected contours. Default to NULL.

Value

A SpatialExperiment object. An extra column is added to the colData.

Examples

```

data("xenium_bc_spe")
spe <- gridDensity(spe)
coi <- "Breast cancer"
spe <- findROI(spe, coi = coi)
spe <- getContour(spe, coi = coi)
spe <- allocateCells(spe, contour = coi)

```

cellsInRegion	<i>Check which cells are in which regions</i>
---------------	-----------------------------------------------

Description

Check which cells are in which regions

Usage

```
cellsInRegion(spe, region, name_to, NA_level = "0", levels = NULL)
```

Arguments

spe	A SpatialExperiment object.
region	List or an sf object that represents a region or an ROI.
name_to	Colname in colData(spe) to store the annotation.
NA_level	Label for cells not falling in any of the regions. Default to 0.
levels	Factor levels.

Value

A SpatialExperiment object. The region information of each cell is stored in the colData.

computeDensity	<i>Perform kernel density estimation on SpatialExperiment</i>
----------------	---------------------------------------------------------------

Description

Perform kernel density estimation on SpatialExperiment

Usage

```
computeDensity(
  xy,
  kernel = c("gaussian", "epanechnikov", "quartic", "disc"),
  bandwidth = NULL,
  weights = NULL,
  ngrid.x = NULL,
  xlim = NULL,
  ylim = NULL,
  diggle = FALSE,
  gridInfo = FALSE
)
```

Arguments

<code>xy</code>	A numeric matrix of spatial coordinates.
<code>kernel</code>	The smoothing kernel. Options are gaussian, epanechnikov, quartic or disc.
<code>bandwidth</code>	The smoothing bandwidth. By default performing automatic bandwidth selection using cross-validation using function <code>spatstat.explore::bw.diggle</code> .
<code>weights</code>	Optional weights to be attached to the points.
<code>ngrid.x</code>	Number of grids in the x-direction.
<code>xlim</code>	The range of the x-coordinates of the image.
<code>ylim</code>	The range of the y-coordinates of the image.
<code>diggle</code>	Logical. If TRUE, use the Jones-Diggle improved edge correction. See <code>spatstat.explore::density.ppp()</code> for details.
<code>gridInfo</code>	Logical. If TRUE, then the grid information is also returned.

Value

Output from `spatstat.explore::density.ppp`.

<code>computeDensityHex</code>	<i>Perform kernel density estimation on SpatialExperiment</i>
--------------------------------	---------------------------------------------------------------

Description

Perform kernel density estimation on `SpatialExperiment`

Usage

```
computeDensityHex(
  xy,
  kernel = c("gaussian"),
  bandwidth = NULL,
  weights = NULL,
  ngrid.x = NULL,
  xlim = NULL,
  ylim = NULL,
  diggle = FALSE,
  gridInfo = FALSE
)
```

Arguments

<code>xy</code>	A numeric matrix of spatial coordinates.
<code>kernel</code>	The smoothing kernel. Options are gaussian, epanechnikov, quartic or disc. ONLY GAUSSIAN IS IMPLEMENTED
<code>bandwidth</code>	The smoothing bandwidth. By default performing automatic bandwidth selection using cross-validation using function <code>spatstat.explore::bw.diggle</code> .
<code>weights</code>	Optional weights to be attached to the points.
<code>ngrid.x</code>	Number of grids in the x-direction.
<code>xlim</code>	The range of the x-coordinates of the image.
<code>ylim</code>	The range of the y-coordinates of the image.
<code>diggle</code>	Logical. If TRUE, use the Jones-Diggle improved edge correction. See <code>spatstat.explore::density.ppp()</code> for details.
<code>gridInfo</code>	Logical. If TRUE, then the grid information is also returned.

Value

Output from `spatstat.explore::density.ppp`.

contour2sf

Draw a contour region on some density level

Description

Draw a contour region on some density level

Usage

```
contour2sf(spe, contour, cutoff)
```

Arguments

spe	A SpatialExperiment object.
contour	Name in metadata.
cutoff	A numeric scalar specifying the density cutoff.

Value

An sf object of the contour region of the specified level.

coord_hash	<i>Hash two 15-bytes signed integers into one 32-bytes integer.</i>
------------	---------------------------------------------------------------------

Description

Hash two 15-bytes signed integers into one 32-bytes integer.

Usage

```
coord_hash(a, b)
```

Arguments

a, b	Integer vectors of same lengths. Can be negative.
------	---------------------------------------------------

Details

Should work for a,b in range $(-2^{14}, 2^{14}-1)$ which is good enough for our purpose.

Integer in R is 32-bytes but reserve 1 byte for NA

corDensity	<i>Test for density correlation between two cell types.</i>
------------	-------------------------------------------------------------

Description

Test for density correlation between two cell types.

Usage

```
corDensity(spe, coi = NULL, roi = NULL, probs = 0.85, trace = FALSE)
```

Arguments

spe	A SpatialExperiment object.
coi	Character vector for cell types of interest for density correlation analysis. Default is NULL, which is to consider all cell types previously calculated in the gridDensity() step.
roi	Character. The name of the group or cell type on which the roi is computed. Default is NULL for no subsetting cell types by ROI
probs	A numeric scalar. The threshold of proportion that used to filter grids by density when ROIs have not been identified previously. Ignored if 'roi' is present in the 'metadata' component of spe. Default to 0.85.
trace	Logical. If TRUE, print the process of testing. Default to FALSE.

Value

A DataFrame containing the testing results.

Examples

```
data("xenium_bc_spe")

coi <- c("Breast cancer", "Fibroblasts", "B cells", "T cells")

spe <- gridDensity(spe, coi = coi)

spe <- findROI(spe, coi = coi, method = "walktrap")

result <- corDensity(spe, roi = coi)
```

findNbrsGrid

Construct a neighbour list from grid coordinates.

Description

Construct a neighbour list from grid coordinates.

Usage

```
findNbrsGrid(
  spe,
  n = 1,
  radius = NULL,
  diagonal = FALSE,
  dist_func = c("idw", "exp", "binary", "none"),
  dist_type = c("euclidean", "manhattan"),
  standardisation = c("row", "none"),
```

```

    scale = 1,
    nbrs_name = NULL,
    cpu_threads = 6
  )

```

Arguments

spe	A SpatialExperiment object.
n	Integer. Search for neighbours within (...). Either the number of neighbors or radius
radius	Numeric. Search for neighbours within the radius.
diagonal	Whether to consider diagonal connection if using square grid
dist_func	Options for distance-based weight. "idw" for inverse distance, "exp" for exponential decay, "binary" for constant weight, and "raw" for raw distance.
dist_type	Options of using euclidean or manhattan for distance calculation
standardisation	Options for weight standardisation. "none" for nothing, and "row" for dividing weights by number of neighbours.
scale	Numeric scaler for weight scaling.
nbrs_name	Name of the neighbour list to be stored. Default to be "grid".
cpu_threads	Number of cpu threads for parallel computation.

Details

If n is used, distance is scaled to unit distance

Value

A SpatialExperiment object with neighbour list stored in `spe@metadata$nbrs$grid[[nbrs_name]]`

Examples

```

data("xenium_bc_spe")
spe <- gridDensity(spe)
spe <- findNbrsGrid(spe,n=3)

```

findNbrsSNN

Construct a SNN neighbour list from assay.

Description

Construct a SNN neighbour list from assay.

Usage

```
findNbrsSNN(
  spe,
  assay = NULL,
  dimred = "PCA",
  n_dimred = 10,
  k = 20,
  BNPARAM = BiocNeighbors::AnnoyParam(),
  type = c("rank", "number", "jaccard"),
  nbrs_name = NULL,
  cpu_threads = 6
)
```

Arguments

spe	A SpatialExperiment object.
assay	Name of assay for clustering. Incompatible with dimred.
dimred	Name of the dimensionality reduction (e.g. PCA) for clustering. Incompatible with assay
n_dimred	Integer scalar or vector specifying the dimensions to use if dimred is specified.
k	Integer scalar for number of nearest neighbors to find.
BNPARAM	BiocNeighborParam object specifying the nearest neighbor algorithm. Default is Annoy.
type	Type of weighting scheme for shared neighbors. Options are rank, number, and jaccard. type="rank" is defined in Xu and Su (2015).
nbrs_name	Name of the neighbour list to be stored in spe. Default to be assay/dimred + "_snn".
cpu_threads	Number of cpu threads for parallel computation.

Details

Construct a SNN neighbour list using either the spe's assay or reduced dimension and store it in `spe@metadata$nbrs$cell`
neighbour list contain

Value

A spe with the clusters stored in [reducedDims](#).

A SpatialExperiment object

Examples

```
data("xenium_bc_spe")
spe <- runPCA(spe)
spe <- findNbrsSNN(spe, dimred="PCA")
```

findNbrsSpatial *Construct a distance-based neighbour list from cell coordinates.*

Description

Construct a distance-based neighbour list from cell coordinates.

Usage

```
findNbrsSpatial(
  spe,
  k = NULL,
  radius = NULL,
  dist_func = c("idw", "exp", "binary", "none"),
  standardisation = c("none", "row"),
  scale = 1,
  nbrs_name = NULL,
  cpu_threads = 6
)
```

Arguments

spe	A SpatialExperiment object.
k	Integer scalar for number of nearest neighbours to find. Can be used with radius. See details.
radius	Numeric for maximum distance to search for neighbours. Can be with k. See details
dist_func	Options for distance-based weight. "idw" for inverse distance, "exp" for exponential decay, "binary" for constant weight, and "none" for raw euclidean distance.
standardisation	Options for weight standardisation. "none" for nothing, and "row" for dividing weights by number of neighbours.
scale	Numeric scaler for weight scaling.
nbrs_name	Name of the neighbour list to be stored. Default to be "spatial".
cpu_threads	Number of cpu threads for parallel computation.

Details

if only k is provided, neighbours are found using [findKNN](#). If only radius is provided, neighbours are found using [findNeighbors](#). If both are provided, then knn is done first then neighbours are filtered to only those within radius.

Value

A SpatialExperiment object with neighbour list stored in `spe@metadata$nbrs$cell[[nbrs_name]]`

Examples

```
data("xenium_bc_spe")
spe <- findNbrsSpatial(spe,k=20,radius=100)
```

findROI	<i>Find ROIs based on cell type-specific densities via graph-based method.</i>
---------	--------------------------------------------------------------------------------

Description

Find ROIs based on cell type-specific densities via graph-based method.

Usage

```
findROI(
  spe,
  coi = NULL,
  probs = 0.85,
  min.density = NULL,
  ngrid.min = 20,
  method = c("greedy", "walktrap", "connected", "hdbscan", "eigen", "dbscan"),
  diag.nodes = FALSE,
  sequential.roi.name = TRUE,
  zoom.in = FALSE,
  zoom.in.size = 500L,
  ...
)
```

Arguments

spe	A SpatialExperiment object.
coi	A character vector of cell types of interest (COIs). Default to all cell types.
probs	A numeric scalar. The threshold of proportion that used to filter grids by density. Default to 0.85.
min.density	A numeric value. The cut-off value used to filter grids by density. Default is NULL and overwrites probs.
ngrid.min	An integer. The minimum number of grids required for defining a ROI. Default to 20.
method	The community detection method to be used, possible options are greedy, walktrap, connected, hdbscan, eigen or dbscan. Default to greedy, can be abbreviated.
diag.nodes	Logical. Set this to TRUE to allow diagonal grid points to be adjacent nodes.
sequential.roi.name	Logical. Set this to FALSE if you want the original ROI name before filtering are retained.

zoom.in	Logical. For very large ROIs, whether to zoom in and try to get more refined ROIs.
zoom.in.size	A numeric scaler. Smallest size of an ROI to be able to zoom in. Default is 500L.
...	Other parameters that passed to walktrap.community when method = "walktrap".

Value

A SpatialExperiment object.

Examples

```
data("xenium_bc_spe")

coi <- c("Breast cancer", "Fibroblasts")

spe <- gridDensity(spe, coi = coi)

spe <- findROI(spe, coi = coi, method = "walktrap")
```

getClusters

Cluster cells in spe using graph methods.

Description

Cluster cells in spe using graph methods.

Usage

```
getClusters(
  spe,
  nbrs_name = NULL,
  method = c("leiden", "louvain"),
  resolution = 1,
  cluster_name = "cluster",
  seed = 1,
  ...
)
```

Arguments

spe	A SpatialExperiment object.
nbrs_name	Name of neighbour list for clustering. If NULL, will use the newest one in spe@metadata\$nbrs\$cell or create one if none are available.
method	Clustering methods. Options are leiden and louvain.

resolution	Higher resolution for more clusters and lower for fewer clusters. See cluster_leiden and cluster_louvain
cluster_name	Name to store the clusters in spe's colData
seed	seed for clustering
...	Other clustering arguments for cluster_leiden or cluster_louvain

Details

Cluster cells with igraph using SNN calculated by [findNbrsSNN](#). Any neighbour list in spe@metadata\$nbrs\$cell can also be used

Value

A spe with the clusters stored in [reducedDims](#).

A SpatialExperiment object

Examples

```
data("xenium_bc_spe")
spe <- normalizeAssay(spe)
spe <- runPCA(spe)
spe <- findNbrsSNN(spe, dimred="PCA")
spe <- getClusters(spe, resolution=0.5)
```

getContour	<i>Get contour from density</i>
------------	---------------------------------

Description

Get contour from density

Usage

```
getContour(
  spe,
  coi = NULL,
  equal.cell = TRUE,
  bins = NULL,
  binwidth = NULL,
  breaks = NULL,
  id = NULL
)
```

Arguments

spe	A SpatialExperiment object.
coi	A character vector of cell types of interest (COIs). All cell types are chosen if NULL or overall.
equal.cell	Logical. Whether to use produce contour levels so that there are roughly the same number of cells of the COI at each level. Default to TRUE.
bins	An integer. Number of contour levels.
binwidth	A numeric scale of the smoothing bandwidth.
breaks	A numeric scale referring to the breaks in <code>ggplot2:::contour_breaks</code> .
id	A character. The name of the column of <code>colData(spe)</code> containing the cell type identifiers. Set to <code>cell_type</code> by default or <code>in_tissue</code> if <code>spe</code> is <code>Visium</code> . Only needed when <code>equal.cell = TRUE</code> .

Value

A SpatialExperiment object. An sf object of the contour region of the specified level is stored in the metadata of the SpatialExperiment object.

Examples

```
data("xenium_bc_spe")
spe <- gridDensity(spe)
coi <- "Breast cancer"
spe <- getContour(spe, coi = coi)
```

getContourRegions *Calculate areas between every two density levels*

Description

Calculate areas between every two density levels

Usage

```
getContourRegions(spe, contour_name)
```

Arguments

spe	A SpatialExperiment object.
contour_name	Name of contour in <code>spe@metadata</code>

Value

A list of sf objects, each representing the region between two contour density levels.

`getNiche`*Build a niche assay based on the profile of neighbouring cells*

Description

Build a niche assay based on the profile of neighbouring cells

Usage

```
getNiche(  
  spe,  
  at = c("cell", "grid"),  
  nbrs_name = NULL,  
  group.by,  
  use_weight = FALSE  
)
```

Arguments

<code>spe</code>	A SpatialExperiment object
<code>at</code>	Option of cell or grid neighbourhood
<code>nbrs_name</code>	Name of the neighbour list in <code>spe@metadata\$grid[[at]]</code>
<code>group.by</code>	Character vector to group neighbours cell by. Should be in either <code>colData(spe)</code> or <code>spe@metadata\$grid_density</code> , depending on "at". Multiple groups can be used. See details
<code>use_weight</code>	Whether to scale each nbr based on its weight

Details

For numerical group, result will be sum of nbrs for each cell. For categorical group (factor/string), result will be counts of nbrs belonging in category

Value

A matrix where rows are cells/grid points and cols are groups based on `group.by`

Examples

```
data("xenium_bc_spe")  
  
spe <- findNbrsSpatial(spe, k=30)  
niche = getNiche(spe, at="cell", group.by="cell_type")
```

 globalMoran

 Calculate global Moran for 1 to 2 variables.

Description

Calculate global Moran for 1 to 2 variables.

Usage

```
globalMoran(
  spe,
  data1,
  data2 = data1[],
  at = c("grid", "cell"),
  nbrs_name = NULL,
  permutations = 999,
  seed = 123456789,
  cpu_threads = 6
)
```

Arguments

spe	A SpatialExperiment object.
data1	Numeric vector 1. Must be same length as nrow(spe@metadata\$grid_density) or spatialCoords(spe), depending on 'at'.
data2	Numeric vector 2 for bivariate local Moran. Must be same length as data1.
at	Option of grid or cell for where to look for neighbour list
nbrs_name	Name of the neighbour list in spe@metadata\$grid[[at]] for Moran's I
permutations	Number of permutations for p-value.
seed	Integer. For random permutations.
cpu_threads	(optional) The number of cpu threads used for parallel LISA computation

Value

List with global lisa, p.value, and vector of permuted lisa.

Examples

```
data("xenium_bc_spe")

## At grid.
spe <- gridDensity(spe, coi = "Breast cancer")
dat <- spe@metadata$grid_density$density_breast_cancer
spe <- findNbrsGrid(spe)
res <- globalMoran(spe, data1 = dat, at="grid")
res$lisa
```

```
## At cell.
dat <- as.numeric(spe$cell_type=="Breast cancer")
spe <- findNbrsSpatial(spe,k=10)
res <- globalMoran(spe,data1 = dat,at="cell")
res$lisa
```

grid2df

Convert x,y nodes to data.frame of polygons

Description

Convert x,y nodes to data.frame of polygons

Usage

```
grid2df(
  spe,
  x = spe@metadata$grid_density$node_x,
  y = spe@metadata$grid_density$node_y,
  reverseY = FALSE,
  ...
)
```

Arguments

spe	A SpatialExperiment object with grid density calculated
x	vector of x nodes of the polygons
y	vector of y nodes of the polygons
reverseY	Reverse y coordinates. Can be numeric to specify the value to subtract y coordinates from (reverseY - y coords).
...	other elements to be stored as columns of the data.frame. Each one must be a vector same length as x.

Details

Basically grid2sf() but returns a data.frame for plotting with geom_polygon(), which allows for scale_*_transform(), unlike geom_sf().

Column names are kept similar to sf::st_coordinates

Value

data.frame with X, Y, and L2. Points with the same L2 belong to the same polygons

grid2sf	<i>Convert x,y nodes to sf polygons</i>
---------	-----------------------------------------

Description

Convert x,y nodes to sf polygons

Usage

```
grid2sf(
  spe,
  x = spe@metadata$grid_density$node_x,
  y = spe@metadata$grid_density$node_y,
  reverseY = FALSE
)
```

Arguments

spe	A SpatialExperiment object with grid density calculated
x	vector of x nodes of the polygons
y	vector of y nodes of the polygons
reverseY	Reverse y coordinates. Can be numeric to specify the value to subtract y coordinates from (reverseY - y coords).

Details

Default is to generate sf polygons for all grid. For plotting with geom_sf, use sf::st_as_sf(grid2sf2(spe)) to convert list into Geometry Set.

Value

List of sf polygons

gridDensity	<i>Perform kernel density estimation on SpatialExperiment for cell types of interest</i>
-------------	------------------------------------------------------------------------------------------

Description

Perform kernel density estimation on SpatialExperiment for cell types of interest

Usage

```
gridDensity(
  spe,
  id = if (isVisium) NULL else "cell_type",
  coi = NULL,
  feature = NULL,
  assay = "counts",
  kernel = "gaussian",
  bandwidth = NULL,
  ngrid.x = NULL,
  grid.length.x = NULL,
  diggle = FALSE,
  grid.type = c("hex", "square"),
  isVisium = FALSE,
  filterToVisiumSpot = isVisium
)
```

Arguments

spe	A SpatialExperiment object.
id	A character. The name of the column of colData(spe) containing the cell type identifiers. Set to cell_type by default. Set to NULL for overall density.
coi	A character vector of cell types of interest (COIs). Default to all cell types.
feature	Feature(s) to calculate density with. Must be in rownames(spe).
assay	Name of assay to use for finding feature(s).
kernel	The smoothing kernel. Options are "gaussian", "epanechnikov", "quartic" or "disc". For hexagonal grid, only Gaussian is implemented
bandwidth	The smoothing bandwidth. By default performing automatic bandwidth selection using cross-validation using function spatstat.explore::bw.diggle.
ngrid.x	Number of grids in the x-direction. Ignored when 'grid.length.x' is specified. Default to NULL.
grid.length.x	Grid length in the x-direction. If both 'ngrid.x' and 'grid.length.x' are NULL, then 'grid.length.x' is set to 100 (micron) by default.
diggle	Logical. If TRUE, use the Jones-Diggle improved edge correction. See spatstat.explore::density.ppp() for details.
grid.type	Type of grid can be either hexagon or square.
isVisium	Logical. If TRUE, fit hexagonal grids to Visium spots by replacing spatial coords with array rows & array cols.
filterToVisiumSpot	Logical. If TRUE, filter grid polygons to only those with a Visium spot underneath.

Value

A SpatialExperiment object. Grid density estimates for all cell type of interest are stored in spe@metadata\$grid_density. Grid information is stored in spe@metadata\$grid_info

Examples

```
data("xenium_bc_spe")

spe <- gridDensity(spe)
```

gridSPE

Summarize a SpatialExperiment object at grid-level

Description

Summarize a SpatialExperiment object at grid-level

Usage

```
gridSPE(spe, cell.count = FALSE, id = "cell_type", split.count.by = id)
```

Arguments

spe	A SpatialExperiment object.
cell.count	Logical. Whether to obtain the number of cells within each group identified by the 'id' column in colData(spe). Default to FALSE.
id	A character. The name of the column of colData(spe) containing the cell type identifiers. Set to 'cell_type' by default.
split.count.by	A character. The name of the column of colData(spe). When it is not NULL, a grid-level count matrix is calculated for each member specified in that column of colData(spe) and stored in the assays(spe). Set to 'cell_type' by default.

Value

A SpatialExperiment object.

Examples

```
data("xenium_bc_spe")

spe <- gridDensity(spe)

spe_grid <- gridSPE(spe)
```

localMoran	<i>Calculate local Moran for 1 to 2 variables.</i>
------------	----------------------------------------------------

Description

Calculate local Moran for 1 to 2 variables.

Usage

```
localMoran(
  spe,
  data1,
  data2 = data1[],
  at = c("grid", "cell"),
  nbrs_name = NULL,
  hhonly = FALSE,
  significance_cutoff = 0.05,
  permutations = 999,
  seed = 123456789,
  cpu_threads = 6
)
```

Arguments

spe	A SpatialExperiment object.
data1	Numeric vector 1. Must be same length as number of grid points or cells, depending on 'at'.
data2	Numeric vector 2 for bivariate local Moran. Must be same length as data1.
at	Option of grid or cell for where to look for neighbour list
nbrs_name	Name of the neighbour list in spe@metadata\$grid[[at]] for Moran's I. If NULL, will use the newest neighbour list.
hhonly	Only high-high clusters, which is more interpretable. Other clusters (e.g. "Low-Low", "High-Low", ...) will be assigned as undefined.
significance_cutoff	Cutoff for p-value to filter non-significant clusters
permutations	Number of permutations for p-value.
seed	Integer. For random permutations.
cpu_threads	The number of cpu threads used for parallel computation.

Value

List of lisa_value, clusters, and pseudo p-value.

Examples

```

data("xenium_bc_spe")

## At grid.
spe <- gridDensity(spe, coi = "Breast cancer")
dat <- spe@metadata$grid_density$density_breast_cancer
spe <- findNbrsGrid(spe)
res <- localMoran(spe,data1=dat, at = "grid")

## At cell.
dat <- as.numeric(spe$cell_type=="Breast cancer")
spe <- findNbrsSpatial(spe,k=20)
res <- localMoran(spe,data1=dat,at="cell")

```

mergeROI

*Manually merge ROIs***Description**

Manually merge ROIs

Usage

```

mergeROI(
  spe,
  roi = NULL,
  merge.list = NULL,
  remove.ids = NULL,
  id = "component",
  rename = FALSE
)

```

Arguments

spe	A SpatialExperiment object.
roi	Character. The name of the group or cell type on which the roi is computed. All cell types are chosen if NULL or 'overall'.
merge.list	A (named) list of vectors of ROI ids to be merged. Each vector in the list should be of length greater than or equal to 2. If no name is specified, the merged ROI will be named by concatenating ROIs being merged.
remove.ids	Optional. A vector of ROI ids to be removed.
id	Character. The name of the column in spe@metadata\$roi that stores the ROIs to be merged. Default is "component".
rename	Logical. If TRUE, names of merge.list are ignored. ROIs will be given a new name. For the unmerged ROIs, their new names are not necessarily the same as those before merging.

Value

A SpatialExperiment object.

Examples

```
data("xenium_bc_spe")

coi <- c("Breast cancer", "Fibroblasts")

spe <- gridDensity(spe, coi = coi)

spe <- findROI(spe, coi = coi, method = "walktrap")

spe <- mergeROI(spe, roi = coi, list("1-2" = 1:2))
```

normalizeAssay	<i>Perform log normalization for counts</i>
----------------	---------------------------------------------

Description

Perform log normalization for counts

Usage

```
normalizeAssay(  
  spe,  
  transformation = c("log"),  
  scale.factor = 1e+06,  
  assay = "counts",  
  name = "logcounts"  
)
```

Arguments

spe	A SpatialExperiment object.
transformation	Choice of transformation. "Log" for log1p
scale.factor	Factor to multiply the count of each cell by. A single value or a numeric vector equal to number of cells
assay	Name of assay in spe to perform the transformation on
name	Name of the transformed assay

Value

A SpatialExperiment object

Examples

```
data("xenium_bc_spe")
spe <- normalizeAssay(spe)
```

plotCellCompo	<i>Plot cell type composition in each density level of cell of interest.</i>
---------------	------------------------------------------------------------------------------

Description

Plot cell type composition in each density level of cell of interest.

Usage

```
plotCellCompo(
  spe,
  contour = NULL,
  id = "cell_type",
  roi = NULL,
  self.included = TRUE
)
```

Arguments

spe	A SpatialExperiment object.
contour	A character vector of cell type(s) on which the contour density level is calculated. If NULL, it looks for 'overall_contour' in colData(spe). Default to NULL.
id	A character. The name of the column of colData(spe) containing the cell type identifiers. Set to 'cell_type' by default.
roi	Character. The name of the group or cell type on which the roi is computed. Default is NULL for no plotting by ROI
self.included	Logical. Whether to include all the cell types in the plot. Default to TRUE. If FALSE, the cell types specified in 'contour' will not be included in the plot.

Value

A ggplot object.

Examples

```
data("xenium_bc_spe")
coi <- "Breast cancer"
spe <- gridDensity(spe, coi = coi)
spe <- findROI(spe, coi = coi)
spe <- getContour(spe, coi = coi)
spe <- allocateCells(spe, contour = coi)
plotCellCompo(spe, contour = "Breast cancer")
```

```
plotCellCompo(spe, contour = "Breast cancer", roi = coi)
```

plotContour *Plot contour lines.*

Description

Plot contour lines.

Usage

```
plotContour(
  spe,
  coi = NULL,
  overlay = c("cell", "density", "none"),
  id = "cell_type",
  sub.level = NULL,
  line.type = 1,
  line.width = 0.5,
  line.alpha = 1,
  reverseY = NULL,
  ...
)
```

Arguments

spe	A SpatialExperiment object.
coi	A character vector of cell types of interest (COIs). All cell types are chosen if NULL or 'overall'.
overlay	Character vector. Options are 'cell' (plot overlay on cells), 'density' (overlay on density), or 'none'. Default to 'cell'.
id	A character. The name of the column of colData(spe) containing the cell type identifiers. Set to 'cell_type' by default.
sub.level	Character vector. Subset on specific level.
line.type	shape of contour. See 'ggplot2::geom_path()'.
line.width	size of contour.
line.alpha	alpha of contour between 0 and 1.
reverseY	Logical. Whether to reverse Y coordinates. Default is TRUE if the spe contains an image (even if not plotted) and FALSE if otherwise.
...	Aesthetic mappings to pass to plotSpatial , plotDensity , or plotImage , depending on the overlay.

Value

A ggplot object.

Examples

```

data("xenium_bc_spe")

spe <- gridDensity(spe)

coi <- "Breast cancer"

spe <- getContour(spe, coi = coi)

plotContour(spe, coi = coi, line.width = 0.3, pt.alpha = 0.2)

```

<code>plotContourRegion</code>	<i>Visualising an sf object (for internal use only at the moment)</i>
--------------------------------	-----------------------------------------------------------------------

Description

Visualising an sf object (for internal use only at the moment)

Usage

```

plotContourRegion(
  spe,
  coi,
  id = "cell_type",
  overlay = c("density", "cell"),
  sub.level
)

```

Arguments

<code>spe</code>	A SpatialExperiment object.
<code>coi</code>	A character vector of length 1 of the cell type of interest.
<code>id</code>	A character. The name of the column of <code>colData(spe)</code> containing the cell type identifiers. Set to <code>cell_type</code> by default.
<code>overlay</code>	Character vector. Either plot overlay on density or cells.
<code>sub.level</code>	Numeric vector of length 1 or 2, identifies which density level to plot. When length is 1, plot the density region above this level. When length is 2, plot the density region between the two levels.

Value

A ggplot object.

plotCorHeatmap *Plot model statistics using heatmap.*

Description

Plot model statistics using heatmap.

Usage

```
plotCorHeatmap(  
  model.result,  
  stats = c("cor.coef", "t", "p.Pos", "p.Neg"),  
  roi = "all",  
  cell.type = "all",  
  silent = FALSE  
)
```

Arguments

model.result	A dataFrame object.
stats	Character value. Choose either coefficient or t. Coefficient by default.
roi	Character value. By default is all. The specific ROIs to be plotted.
cell.type	Character value. By default is all. The cell types to be plotted.
silent	Do not draw the plot (useful when using the gtable output).

Value

A heatmap object.

Examples

```
data("xenium_bc_spe")  
  
coi <- c("Breast cancer", "Fibroblasts", "B cells", "T cells")  
  
spe <- gridDensity(spe, coi = coi)  
  
spe <- findROI(spe, coi = coi)  
  
model_result <- corDensity(spe, roi = coi)  
  
plotCorHeatmap(model_result$ROI)
```

plotDensCor *Plot density correlation between two cell types*

Description

Plot density correlation between two cell types

Usage

```
plotDensCor(
  spe,
  celltype1 = NULL,
  celltype2 = NULL,
  roi = NULL,
  probs = 0.85,
  fit = c("spline", "linear"),
  df = 3,
  pt.shape = 21,
  pt.size = 1.5,
  pt.alpha = 1,
  line.type = 1,
  line.width = 1,
  line.alpha = 1
)
```

Arguments

spe	A SpatialExperiment object.
celltype1	Cell type 1 to compare.
celltype2	Cell type 2 to compare.
roi	Character. The name of the group or cell type on which the roi is computed. Default is NULL for no facetting by ROI
probs	A numeric scalar. The threshold of proportion that used to filter grids by density when ROIs have not been identified previously. Ignored if 'roi' is present in the 'metadata' component of spe. Default to 0.85.
fit	Character. Options are "spline" and "linear".
df	Integer. Degrees of freedom of the spline fit. Default to 3 (i.e., a cubic spline fit).
pt.shape	shape of points.
pt.size	size of points.
pt.alpha	alpha of points between 0 and 1.
line.type	shape of line.
line.width	size of line.
line.alpha	alpha of line between 0 and 1.

Value

A ggplot object.

Examples

```
data("xenium_bc_spe")
coi <- c("Breast cancer", "Fibroblasts")
spe <- gridDensity(spe, coi = coi)
spe <- findROI(spe, coi = coi, method = "walktrap")
plotDensCor(spe, celltype1 = "Breast cancer", celltype2 = "Fibroblasts", roi = coi)
```

plotDensity	<i>Plot grid-based density.</i>
-------------	---------------------------------

Description

Plot grid-based density.

Usage

```
plotDensity(spe, coi = NULL, probs = 0.5, reverseY = NULL, ...)
```

Arguments

spe	A SpatialExperiment object.
coi	A character vector of cell types of interest (COIs) to be plotted. Default to all cell types.
probs	Numeric value between 0 and 1, used for filtering uninformative grid, default is 0.5.
reverseY	Logical. Whether to reverse Y coordinates. Default is TRUE if the spe contains an image (even if not plotted) and FALSE if otherwise.
...	Parameters pass to plotGrid

Value

A ggplot object.

Examples

```
data("xenium_bc_spe")

spe <- gridDensity(spe)

plotDensity(spe, coi = "Breast cancer")

plotDensity(spe, coi = "Fibroblasts")
```

plotDR	<i>Plot reduced dimensions.</i>
--------	---------------------------------

Description

plotDR is the main function for plotting reduced dimension. Others are wrapper functions for convenience.

Usage

```
plotDR(
  spe,
  dimred = NULL,
  dims = c(1, 2),
  group.by = NULL,
  feature = NULL,
  assay = "counts",
  cols = NULL,
  pt.shape = 16,
  pt.size = 1,
  pt.alpha = 0.6,
  label = NULL,
  label.x = NULL,
  label.y = NULL,
  cols.scale = NULL
)

plotUMAP(spe, dimred = "UMAP", ...)

plotPCA(spe, dimred = "PCA", ...)
```

Arguments

spe	A SpatialExperiment object.
dimred	Name of the reduced dimension in reducedDims
dims	Numeric vector length 2 for the dimensions to be plotted. Default to first two dimensions

group.by	values to group points by. Must be in colData of spe. If NULL, will try with 'cols' if available.
feature	Feature to group polygons by. Must be in rownames(spe).
assay	Name of assay to use for plotting feature.
cols	Colour palette. Can be a vector of colours or a function that accepts an integer n and return n colours.
pt.shape	shape of points.
pt.size	size of points.
pt.alpha	alpha of points between 0 and 1.
label	label for the legend
label.x	label for the x-axis
label.y	label for the y-axis
cols.scale	vector of position for color if colors should not be evenly positioned. See scale_color_gradientn . Only applicable for continuous values.
...	Additional arguments pass to plotDR

Value

A ggplot object.

Examples

```
data("xenium_bc_spe")
spe = runUMAP(spe)
plotDR(spe, group.by = "cell_type")
```

plotGrid *Plot grid from metadata.*

Description

Plot grid from metadata.

Usage

```
plotGrid(
  spe,
  group.by = NULL,
  feature = NULL,
  assay = "counts",
  type = c("raw", "log", "cpm", "logcpm"),
  cols = NULL,
  pol.border = FALSE,
```

```

    pol.alpha = 1,
    probs = 0,
    cutoff = NULL,
    label = NULL,
    cols.scale = NULL,
    reverseY = NULL,
    ...
  )

```

Arguments

spe	A SpatialExperiment object.
group.by	values to group polygons by. Must be in <code>spe@metadata\$grid_density</code> , or <code>col-Data(spe)</code> if <code>gridLevelAnalysis</code> is TRUE. If NULL, will try with <code>cols</code> if available.
feature	Feature to group polygons by. Must be in <code>rownames(spe)</code> .
assay	Name of assay to use for plotting feature.
type	Transformation to apply for the group/feature. Options are "raw", "log", "cpm", "logcpm", or a function that accepts and returns a vector of the same length.
cols	Colour palette. Can be a vector of colours or a function that accepts an integer <code>n</code> and return <code>n</code> colours.
pol.border	Boolean. Whether to draw border for each polygon.
pol.alpha	alpha of points between 0 and 1.
probs	Numeric value between 0 and 1, used for filtering uninformative grid. Only applicable for continuous values.
cutoff	Numeric. Either a vector of length 2 for the lower & upper bounds of data to be included, or length 1 for the lower bound. Override <code>probs</code> if specified. Only applicable for continuous values.
label	label for the legend
cols.scale	vector of position for color if colors should not be evenly positioned. See scale_fill_gradientn . Only applicable for continuous values.
reverseY	Logical. Whether to reverse Y coordinates. Default is TRUE if the spe contains an image (even if not plotted) and FALSE if otherwise.
...	Parameters pass to plotImage

Value

A ggplot object.

Examples

```

data("xenium_bc_spe")

spe <- gridDensity(spe)

plotGrid(spe, group.by = "density_overall")

```

plotImage	<i>Plot background image of spe</i>
-----------	-------------------------------------

Description

Plot background image of spe

Usage

```
plotImage(
  spe,
  image = TRUE,
  image_id = NULL,
  sample_id = NULL,
  reverseY = NULL,
  crop = TRUE,
  image.alpha = 1
)
```

Arguments

spe	A SpatialExperiment object.
image	Logical. Whether to plot image (if present).
image_id, sample_id	sample and image identifiers for scaling factor. See scaleFactors for default behavior.
reverseY	Logical. Whether to reverse Y coordinates. Default is TRUE if the spe contains an image (even if not plotted) and FALSE if otherwise.
crop	Whether to crop the plot to the spots.
image.alpha	alpha of points between 0 and 1.

Value

a ggplot object if there is a valid image, else NULL.

plotLISA	<i>Plotting LISA (e.g. moran)</i>
----------	-----------------------------------

Description

Plotting LISA (e.g. moran)

Usage

```
plotLISA(
  spe,
  lisa,
  overlay = c("grid", "point"),
  type = c("cluster", "logpvalue"),
  reverseY = NULL,
  ...
)
```

Arguments

spe	A SpatialExperiment object.
lisa	Output from localMoran
overlay	Option of grid or point. Depend on whether localMoran is calculated at grid or point.
type	Option of cluster or logpvalue for plotting lisa's cluster or p-value, respectively.
reverseY	Logical. Whether to reverse Y coordinates. Default is TRUE if the spe contains an image (even if not plotted) and FALSE if otherwise.
...	Parameters pass to plotGrid or plotSpatial , depending on overlay.

Value

a ggplot object

Examples

```
data("xenium_bc_spe")
spe <- gridDensity(spe, coi = "Breast cancer")
dat <- spe@metadata$grid_density$density_breast_cancer
spe <- findNbrsGrid(spe)
res <- localMoran(spe, data1=dat, at = "grid")
plotLISA(spe, lisa = res)
```

plotROI

Plot ROIs on spatial.

Description

Plot ROIs on spatial.

Usage

```
plotROI(  
  spe,  
  roi = NULL,  
  id = "cell_type",  
  label = TRUE,  
  show.legend = FALSE,  
  reverseY = NULL,  
  ...  
)
```

Arguments

spe	A SpatialExperiment object.
roi	Character. The name of the group or cell type on which the roi is computed. All cell types are chosen if NULL or 'overall'.
id	Character. The name of the column of colData(spe) containing the cell type identifiers. Set to cell_type by default.
label	Logical. Show ROI label or not.
show.legend	Logical. Show legend or not.
reverseY	Logical. Whether to reverse Y coordinates. Default is TRUE if the spe contains an image (even if not plotted) and FALSE if otherwise.
...	Parameters pass to plotSpatial

Value

A ggplot object.

Examples

```
data("xenium_bc_spe")  
  
coi <- c("Breast cancer", "Fibroblasts")  
  
spe <- gridDensity(spe, coi = coi)  
  
spe <- findROI(spe, coi = coi, method = "walktrap", steps = 5)  
  
plotROI(spe, roi = coi, pt.size = 0.3, pt.alpha = 0.2)
```

plotSpatial *Plot cells based on spatial coordinates.*

Description

Plot cells based on spatial coordinates.

Usage

```
plotSpatial(
  spe,
  group.by = NULL,
  feature = NULL,
  assay = "counts",
  type = c("raw", "log", "cpm", "logcpm"),
  cols = NULL,
  pt.shape = 16,
  pt.size = 0.3,
  pt.alpha = 0.5,
  label = NULL,
  cols.scale = NULL,
  reverseY = NULL,
  ...
)
```

Arguments

spe	A SpatialExperiment object.
group.by	values to group points by. Must be in colData of spe. If NULL, will try with 'cols' if available.
feature	Feature to group polygons by. Must be in rownames(spe).
assay	Name of assay to use for plotting feature.
type	Transformation to apply for the group/feature. Options are "raw", "log", "cpm", "logcpm", or a function that accepts and returns a vector of the same length.
cols	Colour palette. Can be a vector of colours or a function that accepts an integer n and return n colours.
pt.shape	shape of points.
pt.size	size of points.
pt.alpha	alpha of points between 0 and 1.
label	label for the legend
cols.scale	vector of position for color if colors should not be evenly positioned. See scale_color_gradientn . Only applicable for continuous values.
reverseY	Logical. Whether to reverse Y coordinates. Default is TRUE if the spe contains an image (even if not plotted) and FALSE if otherwise.
...	Parameters pass to plotImage

Value

A ggplot object.

Examples

```
data("xenium_bc_spe")  
  
plotSpatial(spe, group.by = "cell_type", pt.size = 0.5, pt.alpha = 0.6)
```

postSelRegion	<i>Merge sel_region from the selectRegion function to SpatialExperiment.</i>
---------------	------------------------------------------------------------------------------

Description

Merge sel_region from the selectRegion function to SpatialExperiment.

Usage

```
postSelRegion(spe, sel_region)
```

Arguments

spe A SpatialExperiment object.
sel_region A dataframe object. Can be generated from function selectRegion.

Value

A SpatialExperiment object.

Examples

```
data("xenium_bc_spe")  
  
coi <- c("Breast cancer", "Fibroblasts", "B cells", "T cells")  
  
spe <- gridDensity(spe, coi = coi)  
  
sel_region <- data.frame(  
  "node" = seq(10),  
  "node_x" = seq(10),  
  "node_y" = seq(10)  
)  
  
spe1 <- postSelRegion(spe, sel_region)
```

realignVisium	<i>Scale and straighten out Visium coordinates</i>
---------------	----------------------------------------------------

Description

Scale and straighten out Visium coordinates

Usage

```
realignVisium(spe, distPoint = 100)
```

Arguments

spe	A SpatialExperiment object.
distPoint	Numeric. Desired point to point distance.

Details

This function rescale the distance between points to 100um (or other value) to match the real distance. In addition, Visium spots have a slight tilt to them which this function will also fix

realignVisiumHD	<i>Scale and straighten out VisiumHD coordinates</i>
-----------------	------------------------------------------------------

Description

Scale and straighten out VisiumHD coordinates

Usage

```
realignVisiumHD(spe, distPoint = NULL)
```

Arguments

spe	A SpatialExperiment object.
distPoint	Numeric. Desired point to point distance. If NULL, will try to determine the bin level of spe and use that.

Details

This function rescale the distance between points to 8um (or other value) to match the real distance. In addition, Visium spots have a slight tilt to them which this function will also fix

runPCA	<i>Fast PCA using irlba.</i>
--------	------------------------------

Description

Fast PCA using irlba.

Usage

```
runPCA(  
  spe,  
  n_pcs = 50,  
  assay = "logcounts",  
  centre = TRUE,  
  scale = TRUE,  
  name = "PCA",  
  ...  
)
```

Arguments

spe	A SpatialExperiment object.
n_pcs	Number of principal components to calculate
assay	Name of assay used for PCA. See details for defaults.
centre	Logical. Whether to centre the assay before PCA.
scale	Logical. Whether to scale the variance to 1 before PCA.
name	Name to store the PCA in the spe's reducedDims
...	Other parameters to be passed to irlba .

Details

By default, runPCA uses logcounts assay (from [normalizeAssay](#)). If that's unavailable, it falls back to counts assay

Value

A SpatialExperiment with the PCA stored in [reducedDims](#).

Examples

```
data("xenium_bc_spe")  
  
spe <- runPCA(spe)
```

`runUMAP`*UMAP using uwot. Parameters are set to be similar to Seurat's*

Description

UMAP using uwot. Parameters are set to be similar to Seurat's

Usage

```
runUMAP(  
  spe,  
  n_neighbors = 30,  
  n_components = 2,  
  metric = "cosine",  
  min_dist = 0.3,  
  assay = NULL,  
  dimred = "PCA",  
  n_dimred = NULL,  
  name = "UMAP",  
  ...  
)
```

Arguments

<code>spe</code>	A <code>SpatialExperiment</code> object.
<code>n_neighbors</code> , <code>n_components</code> , <code>metric</code> , <code>min_dist</code>	See umap
<code>assay</code>	Name of assay for UMAP. Incompatible with <code>dimred</code> .
<code>dimred</code>	Name of the dimensionality reduction (e.g. PCA) for UMAP. Incompatible with <code>assay</code>
<code>n_dimred</code>	Integer scalar or vector specifying the dimensions to use if <code>dimred</code> is specified.
<code>name</code>	Name to store the UMAP in the <code>spe</code> 's reducedDims .
<code>...</code>	Other parameters to be passed to umap .

Details

By default, `runUMAP` uses PCA (from [runPCA](#)). If that's unavailable, it falls back to `logcounts`, then `counts` assay.

Value

A `SpatialExperiment` with the UMAP stored in [reducedDims](#).

Examples

```
data("xenium_bc_spe")
spe <- runPCA(spe)
spe <- runUMAP(spe, dimred="PCA", n_dimred=10)
```

selectRegion	<i>Select region of interest from plot</i>
--------------	--------------------------------------------

Description

Select region of interest from plot

Usage

```
selectRegion(data, x.col = "x", y.col = "y")
```

Arguments

data	A data.frame object.
x.col	Column name of the x coordinates.
y.col	Column name of the y coordinates.

Value

A data.frame object in the global environment.

Examples

```
data("xenium_bc_spe")
spe_b <- spe[, SummarizedExperiment::colData(spe)$cell_type == "B cells"]
dat <- as.data.frame(SpatialExperiment::spatialCoords(spe_b))
# selectRegion(dat, x.col = "x_centroid", y.col = "y_centroid")
```

spe2PB	<i>Given a 'SpatialExperiment' data object, create pseudo-bulk samples using the colData information and return a DGEList object</i>
--------	--------------------------------------------------------------------------------------------------------------------------------------

Description

Given a 'SpatialExperiment' data object, create pseudo-bulk samples using the colData information and return a DGEList object

Usage

```
spe2PB(
  spe,
  by.group = TRUE,
  group.id = "cell_type",
  keep.groups = NULL,
  roi = NULL,
  roi.only = TRUE,
  contour = NULL
)
```

Arguments

spe	A SpatialExperiment object.
by.group	Logical. Whether to perform pseudo-bulking by group. TRUE by default.
group.id	Character. The column name of the colData(spe) that contains the group information. Default to 'cell_type'.
keep.groups	Vector. Values from group.id to include in pseudo- bulking. Default is NULL, where all cells are included in pseudo-bulking.
roi	Character. The name of the group or cell type on which the roi is computed. If NULL, then no pseudo-bulking will be performed based on roi. Default to NULL.
roi.only	Logical. Whether to filter out pseudo-bulk samples formed by cells not in any ROIs. TRUE by default.
contour	Character. The name of the group or cell type on which the contour level is computed. If NULL, then no pseudo-bulking will be performed based on contour level. Default to NULL.

Value

An edgeR::DGEList object where each library (column) is a pseudo-bulk sample.

Examples

```

data("xenium_bc_spe")

spe <- gridDensity(spe)

coi <- "Breast cancer"

spe <- findROI(spe, coi = coi)

spe <- allocateCells(spe, to.contour=FALSE)

y <- spe2PB(spe, roi = coi)

```

update_bound	<i>Update the x,y limits of a plot</i>
--------------	----------------------------------------

Description

Update the x,y limits of a plot

Usage

```
update_bound(p, x = NULL, y = NULL)
```

Arguments

p	A ggplot() object
x, y	Vectors of new x and y limits.

Value

a ggplot object

xenium_bc_spe	<i>Description of the scider example datasets</i>
---------------	---------------------------------------------------

Description

scider-package has 1 datasets:

- xenium_bc_spe Example test spatial transcriptomics data in SpatialExperiment format. This test data is randomly subsetting from a publicly available 10X Xenium breast cancer data. Source data: <https://www.10xgenomics.com/resources/datasets/xenium-ffpe-human-breast-with-custom-add-on-panel-1-standard>

Usage

```
data("xenium_bc_spe")
```

Format

A SpatialExperiment object

Value

A SpatialExperiment object

Examples

```
data(xenium_bc_spe)
```

```
[,SpatialExperiment,ANY,ANY,ANY-method  
  Subset for grid level analysis
```

Description

Overwrite the default SpatialExperiment subsetting method to ensure 'grid_density' is also subsetted if 'gridLevelAnalysis' is TRUE (1 polygon 1 spot)

Usage

```
## S4 method for signature 'SpatialExperiment,ANY,ANY,ANY'  
x[i, j, ..., drop = FALSE]
```

Arguments

x	A SpatialExperiment object.
i	row indices for subsetting.
j	col indices for subsetting.
...	further arguments to be passed to or from other methods.
drop	passed on to [indexing operator.

Value

A SpatialExperiment object.

Index

* internal

- scider-package, 3
- xenium_bc_spe, 45
- [, SpatialExperiment, ANY, ANY, ANY-method, 46
- allocateCells, 4
- BiocNeighborParam, 11
- cellsInRegion, 5
- cluster_leiden, 15
- cluster_louvain, 15
- colData, 15
- computeDensity, 5
- computeDensityHex, 6
- contour2sf, 7
- coord_hash, 8
- corDensity, 8
- findKNN, 12
- findNbrsGrid, 9
- findNbrsSNN, 10, 15
- findNbrsSpatial, 12
- findNeighbors, 12
- findROI, 13
- getClusters, 14
- getContour, 15
- getContourRegions, 16
- getNiche, 17
- globalMoran, 18
- grid2df, 19
- grid2sf, 20
- gridDensity, 20
- gridSPE, 22
- irlba, 41
- localMoran, 23, 36
- mergeROI, 24
- normalizeAssay, 25, 41
- plotCellCompo, 26
- plotContour, 27
- plotContourRegion, 28
- plotCorHeatmap, 29
- plotDensCor, 30
- plotDensity, 27, 31
- plotDR, 32
- plotGrid, 31, 33, 36
- plotImage, 27, 34, 35
- plotLISA, 35
- plotPCA (plotDR), 32
- plotROI, 36
- plotSpatial, 27, 36, 37, 38
- plotUMAP (plotDR), 32
- postSelRegion, 39
- realignVisium, 40
- realignVisiumHD, 40
- reducedDims, 11, 15, 32, 41, 42
- runPCA, 41, 42
- runUMAP, 42
- scale_color_gradientn, 33, 38
- scale_fill_gradientn, 34
- scaleFactors, 35
- scider (scider-package), 3
- scider-package, 3
- selectRegion, 43
- spe (xenium_bc_spe), 45
- spe2PB, 44
- umap, 42
- update_bound, 45
- xenium_bc_spe, 45